

NOVEMBER
2021



TECHNICAL DATA/SPECIAL EQUIPMENT
2021 | 2022



2| MODELS AND EQUIPMENT LINES:



POP-UP ROOF



VEHICLE LENGTH

UP TO 5,4 M


DUNCAN

Pure camping fun



495

535



DAVIS

Elegant campervans from convenient to luxurious.

All DAVIS LIFESTYLE variants available with optional pop-up roof



DOUBLE BEDS

UP TO 5,5 M

UP TO 6 M

540

TRENDSTYLE LIFESTYLE

590

TRENDSTYLE LIFESTYLE

591

TRENDSTYLE LIFESTYLE



ALL-WHEEL DRIVE



VEHICLE LENGTH

UP TO 6 M

DEXTER
4 x 4

Constant grip in every terrain

560

4 x 4

570

4 x 4



DEXTER

Campervans full of character for short trips and long journeys.



DOUBLE BEDS

UP TO 5,5 M

UP TO 6 M

540

580





SINGLE BEDS

UP TO 6,5 M

592

LIFESTYLE



630

LIFESTYLE



UP TO 6 M

UP TO 6,5 M

600

LIFESTYLE



620

TRENDSTYLE
LIFESTYLE



LIFT-UP BEDS

UP TO 5,5 M

Dexter 550 with
high roof and electric
lift bed above the
seating group

550



600



625



SINGLE BEDS

UP TO 6 M

UP TO 6,5 M



NEW!

**The Davis bestsellers now also available as
an attractive TRENDSTYLE special edition with:**

- » 140 HP-Engine FIAT
Optional 160 HP
- » Chassis 35L
- » 16" aluminium rims black
- » Isofix
- » Heating system Combi D4
- » 90 Liter Fuel tank
- » Varnish paint Lanzarote Grey
- » Cabin blinds
- » Awning
- » Midi-Heki
- » Multimedia preparation
- » DAB
- » Table extension
- » Cab seat covers
- » Fly screen for door
- » Electrical exterior mirrors
- » Electrical step tread
- » Exterior lighting

EQUIPMENT LINES DAVIS

DAVIS TRENDSTYLE EQUIPMENT

- » 140 HP-Engine FIAT
Optional 160 HP
- » Chassis 35L
- » 16" aluminium rims black
- » Isofix (except 540)
- » Heating system Combi D4
- » 90 Liter Fuel tank
- » Varnish paint Lanzarote Grey
- » Captain Chair Seats
- » Cabin blinds
- » Awning
- » Midi-Heki
- » Multimedia preparation
- » DAB
- » Table extension
- » Cab seat covers
- » Fly screen for door
- » Electrical exterior mirrors
- » Electrical step tread
- » Exterior lighting



DAVIS LIFESTYLE EQUIPMENT

- „LIFESTYLE“ INTERIOR WITH:**
- » 120 HP-Engine
 - » Chassis 35L
 - » Isofix (except 540)
 - » Heating system Combi D4
 - » elegant light interior equipment with textile applications
 - » LED ambient lighting
 - » Mineral-compound kitchen worktop
 - » Additional top cabinet above rear doors (for DA 590/592/600/620)
 - » Folding tabletop
 - » Logo panel in metal look on the kitchen block
 - » Side storage compartment on kitchen unit (for DA 590/591/592/620/630)
 - » Rear left window (for DA 590/592/620/630)
 - » Flush-mounted frame windows

EQUIPMENT UPGRADE FOR DEXTER:

Dexter (Fiat) now with sliding roof and 100 Ah lithium-ion battery!

OPTIONAL PACKAGES

ALL INCLUSIVE EQUIPMENT „CONCEPT“*

PACKAGE COMPONENTS:

- » 140 HP-Engine FIAT
- » 90 Liter Fuel tank
- » Fog lights
- » Electric exterior mirror retraction
- » Exterior lighting
- » Painted bumpers
- » Black radiator grille with chrome applications
- » Cabin blinds
- » Awning
- » Fly screen for door
- » Captain's chair Seats
- » Steering wheel and gearshift knob in leather finish
- » Multimedia preparation

ALLROUND-PACKAGE „NO LIMITS“**

- » FORD VISION + PACKAGE WITH:
- electrically adjustable folding exterior mirrors
 - Automatic dimming
 - Rain sensor in front
 - Heatable windscreen
- » 130 HP-Engine
 - » 16" aluminium rims
 - » Rear drive parking sensor
 - » Fog lights
 - » Fog lights
 - » Seat heating for driver and front passenger seats
 - » Sliding 3-seat rear bench with bed conversion
 - » Painted front Bumper
 - » Multimedia Package Ford Custom incl. DAB
 - » External shower

DRIVER ASSISTANCE PACKAGE*

PACKAGE COMPONENTS:

- » Emergency braking assistant
- » Lane departure assistant
- » Rain and light sensor
- » High beam assistant (Automatic dimming)
- » Traffic-sign recognition

FORD MEDIA PACKAGE***

PACKAGE COMPONENTS:

- » Premium audio system
- » Navigation with Touchscreen
- » 4 loudspeakers
- » Europe navigation
- » 6" colour touch screen
- » SYNC 3 voice activated connection + call system
- » On-board computer
- » Front and rear parking assistant
- » Rear view camera

* Available for Davis Lifestyle and Dexter, not available for Davis Trendstyle and Dexter 4x4

** Available for Duncan

*** Available for Dexter 560 4x4, 570 4x4

STANDARD EQUIPMENT

S = Standard equipment | 0 = Standard equipment available at extra cost
 - = Not included in the scope of series production or not possible

| 5

	NEW! DUNCAN	NEW! DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER	DEXTER 4x4
➔ BASIC VEHICLE					
Fiat Ducato	-	S	S	S	-
Ford Transit	-	-	-	-	S
Ford Transit Custom	S	-	-	-	-
EURO 6 D Final incl. particulate filter	S	S	S	S	S
Driver airbag	S	S	S	S	S
Co-driver airbag	S	S	S	S	S
ABS (Anti-lock braking system) / ESP	S	-	-	-	S
ASB / ESP incl. Traction + Hill descend	-	S	S	S	-
Air conditioner (Manual)	S	S	S	S	S
Cruise control	S	S	S	S	S
Radio preparation + Radio	-	-	-	-	S
Captain's chair Seats with Armrests	-	S	0	0	S
Isofix	0	S (- at DA 540)	S (- at DA 540 and 600)	-	-
Power steering	S	S	S	S	S
Height-adjustable headlamps	S	S	S	S	S
Immobilizer	S	S	S	S	S
3-point safety belt system	S	S	S	S	S
Electrical front window lifters	S	S	S	S	S
Electrical adjustable and heated exterior mirrors	0	S	S	S	S
Central locking with remote control	S	S	S	S	S
Wheel trims	S	-	0	0	S
Fix-and-go breakdown kit	S	S	S	S	S
Wheel house seats in cabin upholstery	S	S	-	S	S
Carpet in cabin	-	-	-	S	S
Fog lights	0	-	0	0	S
Front bumper in vehicle color	0	S	0	0	S
Front bumper in black	S	S	S	S	-
Rear bumper in black	S	S	S	S	S
Leather steering wheel	S	S	0	0	S

STANDARD EQUIPMENT

S = Standard equipment | O = Standard equipment available at extra cost
- = Not included in the scope of series production or not possible

	NEW! DUNCAN	NEW! DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER	DEXTER 4x4
➔ STRUCTURE EXTERIOR					
Wall and ceiling insulation	S	S	S	S	S
Sliding roof (not in conjunction with pop-up roof)	-	-	-	S (except DE 550)	-
High roof, insulated	-	-	-	only DE 550	-
Pop-up roof	S	-	O	-	-
Body colour trend white	S	-	S	S	S
Body colour Lanzarote Grey	-	S	O	O	-
Window in superstructure, with quick release levers	-	S	S	-	-
Insulated frame windows	-	-	S	S	S
Sliding window	S	-	-	-	-
Exterior lighting	-	S	-	S	S
Electrical step tread	S	S	S	S	S
400 x 400 mm roof hood with blackout blind and mosquito protection (piece)	-	1 (except DA 540)	1 (except DA 540)	1 (only DE 550)	-
Midi Heki (piece)	-	-	-	1 (except DE 550)	1
Mini Heki (piece)	-	-	-	2 (DE 540: 1, except DE 550)	1
➔ KITCHEN					
Refrigerator, 42 l	S	-	-	-	-
Refrigerator, 80 l (DA 540, DE 540, DA 600: 70 ltr. DA 630: 85 ltr.)	-	S (except DA 592)	S (except DA 592)	S (except DE 550, 625)	70 l
Refrigerator, 109 l	-	-	-	S (only DE 550)	-
Refrigerator, 140 l	-	only DA 592	only DA 592	only DE 625	-
2-flame cooker with cover	S	S	S	S (DE 550: with 3 burners)	S
Gas operating components, centred	S	S	S	S	S
Worktop with integrated sink	S	S	S	S	S
➔ TOILET ROOM					
Toilet room with integrated shower	-	S	S	S	S
Washroom window	-	S (except DA 540)	S (except DA 540)	S	-
Shower tray cover with slatted frame	-	S	S	S	-
Comfortable bathroom with variable effective area	-	only DA 600	only DA 600	-	-
Cassette toilet	-	S	S	S	S

STANDARD EQUIPMENT


S = Standard equipment | O = Standard equipment available at extra cost
- = Not included in the scope of series production or not possible

| 7

	NEW! DUNCAN	NEW! DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER	DEXTER 4x4
➤ LIVING SPACE					
Serial upholstery Trient	S	-	-	-	-
Serial upholstery Savona	-	S	S	-	-
Serial upholstery Asti	-	-	-	S	S
Foam mattress on lift bed	-	-	-	S at DE 550	-
Fold-down bunk	-	-	-	S at DE 550	-
Ambient lighting	S	-	S	S at DE 550	-
Table extension	-	S	S	S	S
Double bunk bed	-	only DA 591	only DA 591	-	-
Height-adjustable rear bed with variable storage space	-	only DA 630	only DA 630	-	-
Cargo compartment floor with lashing eyes and access ramp for two-wheelers	-	only DA 630	only DA 630	-	-
Rearrangement of seating group into an additional one-person bed	-	O	O	O	O (not possible at 570 4x4)
Bench folds out into additional double bed	O	-	-	- / S (at DE 550)	-
➤ INSTALLATION					
Heating system Combi 4 (Diesel)	O (Combi 2)	S	S	S	S
Hot water supply with single-lever mixer tap	S	S	S	S	S
Pressurised water pump	S	S	S	S	S
Heated and insulated waste water tank	-	S	S	-	-
Heated waste water tank	-	-	-	S	S
➤ POWER SUPPLY					
Living area battery (at Dexter lithium-ion battery)	S	S	S	S	S
Switch-disconnectors for starter and superstructure battery	S	S	S	S	S
Electr. charger for superstructure/vehicle battery	S	S	S	S	S
CEE external connection for 230 V with circuit breaker	S	S	S	S	S
Earth leakage circuit breaker	S	S	S	S	S
On-board control panel with entry of all important functions	S	S	S	S	S
230 V socket (piece)	3	1	1	1	1
12 V socket (piece)	4	1	1	1	1
USB wall outlet	4	1	1	1	1



TECHNICAL DATA | MODELS WITH **POP-UP ROOF, LIFT-UP BEDS & ALL-WHEEL DRIVE**



UP TO 5,5 M		UP TO 6 M		
DUNCAN 495	DUNCAN 535	DEXTER 550	DEXTER 560 4 x 4	DEXTER 570 4 x 4



➤ BASIC VEHICLE

Basic vehicle	2.0 Liter Ford Transit Custom 96 kW (105 HP)	2.0 Liter Ford Transit Custom 96 kW (105 HP)	Fiat Ducato 35L, 89 kW (120 HP)	Ford Transit 2.0 ltr. 96 kW (130 HP) with sequential all-wheel drive	Ford Transit 2.0 ltr. 96 kW (130 HP) with sequential all-wheel drive
Fuel tank	70 ltr + Ad Blue	70 ltr + Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	70 ltr Diesel + 24 Ltr Ad Blue	70 ltr Diesel + 24 Ltr Ad Blue
Technically permissible total weight*	3,000 kg / 3,200 kg (Option)	3,000 kg / 3,200 kg (Option)	3,500 kg	3,500 kg	3,500 kg
Mass when ready to drive**	2,498 kg	2,589 kg	2,953 kg	3,162 kg	3,154 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP (except DE 560)	5,365 kg (with automatic 4,365 kg)	5,240 kg	5,500 / 5,800 kg	6,000 kg	6,000 kg
Trailerload, braked*** with 120 HP / 140, 160, 180 HP (except DE 560)	2,500 kg (with automatic 2,150 kg)	2,800 kg	2,000 / 2,500 kg	2,800 kg	2,800 kg

➤ WEIGHTS AND DIMENSIONS

Total length	4,973 mm	5,340 mm	5,480 mm	5,980 mm	5,980 mm
Total width	2,080 mm	2,080 mm	2,059 mm	2,059 mm	2,059 mm
Total height	2,080 mm	2,080 mm	2,780 mm	2,780 mm	2,780 mm
Internal width	1,775 mm	1,775 mm	1,940 mm	1,870 mm	1,870 mm
Standing height	1,406 / 2,000-2,030 mm	1,406 / 2,000-2,030 mm	1,950 mm	1,970 mm	1,970 mm
Wheel base	2,933 mm	3,300 mm	3,450 mm	3,750 mm	3,750 mm
Tyres	6,5 x 16" 215/65R16	6,5 x 16" 215/65R16	215/70 R15	235/65 R16	235/65 R16
Bed conversation seating unit	1,870 x 1,140 mm	1,870 x 1,140 mm	1,900 x 1,220 mm	1,723 x 1,077 mm	-
Bed in the pop-up roof	2,000 x 1,200 mm	2,000 x 1,200 mm	-	-	-
Rear bed	-	-	-	1,870 x 1,350 mm	1,970 x 930 / 1,850 x 930 mm
Lift-Up bed	-	-	1,920 x 1,550 mm	-	-
Beds	4	4	2	2 (3) Option	2
Permissible number of passengers with 3-pt belt	5	5	2	4	2

➤ INSTALLATION

Fresh water capacity complete	50 l	40 l	100 l	80 l	80 l
Wastewater capacity	30 l	30 l	90 l	60 l	60 l
Gas	1 x 2.75 kg	1 x 2.75 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	1 x 75 Ah	1 x 75 Ah	1 x 100 Ah (Lithium)	1 x 100 Ah (Lithium)	1 x 100 Ah (Lithium)
Charger	17 A	17 A	17 A	17 A	17 A
Refrigerator	42 L (with freezer compartment)	42 L (with freezer compartment)	109 l	80 l	80 l

* The "technically-permissible total laden weight" stated in the vehicle registration document may never be exceeded for safety reasons. | ** Mass in running order according to Commission Regulation (EU) No 1230/2012: vehicle with standard equipment in accordance with manufacturer's specifications including the driver (75 kg), fuel tank filled to at least 90 % capacity, water and gas (5 kg aluminium gas bottle) to 100 % without special equipment. | *** The permissible total gross vehicle weight (combined weight) must be adhered to. | **** Not in conjunction with 180 HP engine. | ***** except DE 560



TECHNICAL DATA | MODELS WITH **DOUBLE BEDS**

- * The "technically-permissible total laden weight" stated in the vehicle registration document may never be exceeded for safety reasons.
- ** Mass in running order according to Commission Regulation (EU) No 1230/2012: vehicle with standard equipment in accordance with manufacturer's specifications including the driver (75 kg), fuel tank filled to at least 90 % capacity, water and gas (5 kg aluminium gas bottle) to 100 % without special equipment.
- *** The permissible total gross vehicle weight (combined weight) must be adhered to.
- **** with 35 H Chassis (Optional)

UP TO 5,5 M			UP TO 6 M	
DAVIS 540 TRENDSTYLE	DAVIS 540 LIFESTYLE	DEXTER 540	DAVIS 590 TRENDSTYLE	DAVIS 590 LIFESTYLE

➔ BASIC VEHICLE

Basic vehicle	Fiat Ducato 35 L 89 kW (120 HP)	Fiat Ducato 35 L 89 kW (120 HP)	Fiat Ducato 35 L 89 kW (120 HP)	Fiat Ducato 35L // 35H, 89 kW (120 HP)	Fiat Ducato 35L // 35H, 89 kW (120 HP)
Fuel tank	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue
Technically permissible total weight*	3,300 kg	3,300 kg	3,300 kg	3,500 kg	3,500 kg
Mass when ready to drive**	2,845 kg	2,800 kg	2,716 kg	2,925 kg	2,880 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP	5,500 / 5,800 kg	5,500 / 5,800 kg	5,500 / 5,800 kg	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****
Trailerload, braked*** with 120 HP / 140, 160, 180 HP	2,000 / 2,500 kg	2,000 / 2,500 kg	2,000 / 2,500 kg	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****

➔ WEIGHTS AND DIMENSIONS

Total length	5,420 mm	5,420 mm	5,420 mm	5,995 mm	5,995 mm
Total width	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm
Total height	2,610 mm	2,610 mm	2,570 mm	2,610 mm	2,610 mm
Internal width	1,860 mm	1,860 mm	1,860 mm	1,860 mm	1,860 mm
Standing height	1,890 mm	1,890 mm	1,890 mm	1,890 mm	1,890 mm
Wheel base	3,450 mm	3,450 mm	3,450 mm	4,035 mm	4,035 mm
Tyres	215/70 R15C	215/70 R15C	215/70 R15	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****
Bed conversation seating unit	1,800 x 1,020 mm	1,800 x 1,020 mm	1,835 x 1,070 mm	-	-
Bed in the Pop-up roof	-	1,800 x 1,200 mm (Option)	-	-	1,800 x 1,200 mm (Option)
Bunk bed	-	-	-	-	-
Rear bed	1,900 x 1,330 mm	1,900 x 1,330 mm	1,900 x 1,330 mm	1,900 x 1,440 mm	1,900 x 1,440 mm
Beds	2 (3) Option	2 (3) Option	2 (3) Option	2 (3)	2 (3)
Permissible number of passengers with 3-pt belt	4	4	4	4	4

➔ INSTALLATION

Fresh water capacity complete	90 l	90 l	100 l	100 l	100 l
Wastewater capacity	90 l	90 l	90 l	90 l	90 l
Gas	2 x 7 kg	2 x 7 kg	2 x 5 kg	2 x 7 kg	2 x 7 kg
Battery capacity	1 x 95 Ah	1 x 95 Ah	1 x 100 Ah (Lithium)	1 x 95 Ah	1 x 95 Ah
Charger	15 A	15 A	17 A	15 A	15 A
Refrigerator	70 l	70 l	70 l	80 l	80 l



TECHNICAL DATA | MODELS WITH **DOUBLE BEDS**

* The "technically-permissible total laden weight" stated in the vehicle registration document may never be exceeded for safety reasons.

** Mass in running order according to Commission Regulation (EU) No 1230/2012: vehicle with standard equipment in accordance with manufacturer's specifications including the driver (75 kg), fuel tank filled to at least 90 % capacity, water and gas (5 kg aluminium gas bottle) to 100 % without special equipment.

*** The permissible total gross vehicle weight (combined weight) must be adhered to.

**** with 35 H Chassis (Optional)



➤ BASIC VEHICLE

Basic vehicle	Fiat Ducato 35L // 35H, 89 kW (120 HP)	Fiat Ducato 35L // 35H, 89 kW (120 HP)	Fiat Ducato 35L // 35H, 89 kW (120 HP)	Fiat Ducato 35L // 35H, ltr. 89 kW (120 HP)	Fiat Ducato 35L // 35H, 89 kW (120 HP)
Fuel tank	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue
Technically permissible total weight*	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg
Mass when ready to drive**	2,945 kg	2,900 kg	2,890 kg	2,887 kg	3,030 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****	6,000 // 6,500 kg****
Trailerload, braked*** with 120 HP / 140, 160, 180 HP	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****

➤ WEIGHTS AND DIMENSIONS

Total length	5,995 mm	5,995 mm	5,995 mm	5,990 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm
Total height	2,610 mm	2,610 mm	2,610 mm	2,570 mm	2,610 mm
Internal width	1,860 mm	1,860 mm	1,860 mm	1,940 mm	1,860 mm
Standing height	1,890 mm	1,890 mm	1,890 mm	1,890 mm	1,890 mm
Wheel base	4,035 mm	4,035 mm	4,035 mm	4,035 mm	4,035 mm
Tyres	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****
Bed conversation seating unit	-	-	1,800 x 1,020 mm (O)	1,800 x 1,020 mm	-
Bed in the Pop-up roof	-	1,800 x 1,200 mm (Option)	1,800 x 1,200 mm (Option)	-	1,800 x 1,200 mm (Option)
Bunk bed	1,860 x 1,320 mm	1,860 x 1,320 mm	-	-	-
Rear bed	1,860 x 1,320 mm	1,860 x 1,320 mm	1,900 x 1,440 mm	1,900 x 1,320 mm	1,920 x 1,900 / 1,800 mm (height-adjustable)
Beds	4 / 5	4 / 5	2 (3)	2 (3)	2/3 (Option)
Permissible number of passengers with 3-pt belt	4	4	4	4	4

➤ INSTALLATION

Fresh water capacity complete	100 l	100 l	100 l	100 l	100 l
Wastewater capacity	90 l	90 l	90 l	90 l	90 l
Gas	2 x 7 kg	2 x 7 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	1 x 95 Ah	1 x 95 Ah	1 x 95 Ah	1 x 100 Ah (Lithium)	1 x 100 Ah (Lithium)
Charger	15 A	15 A	15 A	17 A	15 A
Refrigerator	80 l	80 l	140 L	140 l	85 l

- * The "technically-permissible total laden weight" stated in the vehicle registration document may never be exceeded for safety reasons.
- ** Mass in running order according to Commission Regulation (EU) No 1230/2012: vehicle with standard equipment in accordance with manufacturer's specifications including the driver (75 kg), fuel tank filled to at least 90 % capacity, water and gas (5 kg aluminium gas bottle) to 100 % without special equipment.
- *** The permissible total gross vehicle weight (combined weight) must be adhered to.
- **** with 35 H Chassis (Optional)



➔ BASIC VEHICLE

Basic vehicle	Fiat Ducato 35L // 35H, 89 kW (120 HP)	Fiat Ducato 35L // 35H, 89 kW (120 HP)	Fiat Ducato 35L // 35H, 89 kW (120 HP)	Fiat Ducato 35L // 35H, 89 kW (120 HP)	Fiat Ducato 35L // 35H, 89 kW (120 HP)
Fuel tank	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue
Technically permissible total weight*	3,300 kg // 3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg
Mass when ready to drive**	2,910 kg	2,828 kg	3,055 kg	3,010 kg	3,103 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****	6,000 // 6,500 kg****	6,000 // 6,500 kg****	6,000 // 6,500 kg****
Trailerload, braked*** with 120 HP / 140, 160, 180 HP	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****

➔ WEIGHTS AND DIMENSIONS

Total length	5,995 mm	5,990 mm	6,360 mm	6,360 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm
Total height	2,610 mm	2,570 mm	2,610 mm	2,610 mm	2,570 mm
Internal width	1,860 mm	1,940 mm	1,860 mm	1,860 mm	1,940 mm
Standing height	1,890 mm	1,890 mm	1,890 mm	1,890 mm	1,890 mm
Wheel base	4,035 mm	4,035 mm	4,035 mm	4,035 mm	4,035 mm
Tyres	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R 15 // 225/75 R16C****
Bed conversation seating unit	-	-	-	-	1.875 x 1.150 mm
Bed in the Pop-up roof	1,800 x 1,200 mm (Option)	-	-	1,800 x 1,200 mm (Option)	-
Rear bed	1,740 x 750 mm / 1,900 x 780 mm	1,960 x 1,030 mm / 1,900 x 930 mm	1,900 x 800 mm / 1,950 x 800 mm	1,900 x 800 mm / 1,950 x 800 mm	1,925 x 800 mm / 1,870 x 800 mm
Beds	2/3 (Option)	2	2/3 (Option)	2/3 (Option)	3
Permissible number of passengers with 3-pt belt	4	2	4	4	4

➔ INSTALLATION

Fresh water capacity complete	100 l	100 l	100 l	100 l	100 l
Wastewater capacity	90 l	90 l	90 l	90 l	90 l
Gas	2 x 7 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	1 x 95 Ah	1 x 100 Ah (Lithium)	1 x 95 Ah	1 x 95 Ah	1 x 100 Ah (Lithium)
Charger	15 A	17 A	15 A	15 A	17 A
Refrigerator	70 l	80 l	80 l	80 l	140 l

	DUNCAN 495	DUNCAN 535	DAVIS 540 TRENDSTYLE	DAVIS 590 TRENDSTYLE	DAVIS 591 TRENDSTYLE	DAVIS 620 TRENDSTYLE	DAVIS 540 LIFESTYLE	DAVIS 590 LIFESTYLE	DAVIS 591 LIFESTYLE	DAVIS 592 LIFESTYLE	DAVIS 630 LIFESTYLE	DAVIS 600 LIFESTYLE	DAVIS 620 LIFESTYLE	DE 540	DE 580	DE 600	DE 625	DE 550	560 4 x 4	570 4 x 4	Weight in kg	Price in €
➡ COMFORT PACKAGES																						
KM4540-22 Concept Package DA540	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	80	3.040,00 €
KM4541-22 Concept Package DA590 - DA600	-	-	-	-	-	-	-	0	0	0	-	0	-	-	-	-	-	-	-	-	80	3.040,00 €
KM4542-22 Concept Package DA620 - DA630	-	-	-	-	-	-	-	-	-	-	0	-	0	-	-	-	-	-	-	-	80	3.040,00 €
KM4543-22 Concept Package DE540	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-	80	3.040,00 €
KM4544-22 Concept Package DE550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	80	3.040,00 €
KM4546-22 Concept Package DE580 - DE625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	-	-	80	3.040,00 €
KM4523-22 Driving assistance package	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	-	-	1	1.150,00 €
KM3232-22 Ford Media Package	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	3	5.030,00 €
KM4501-22 No Limits Package	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	5.120,00 €
➡ CHASSIS / ENGINE																						
KM2186-22 120 HP-Engine Fiat	-	-	-	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	-	-	0	0,00 €
KM2181-22 140 HP-Engine Fiat (Surcharge to 120 HP)	-	-	S	S	S	S	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	1.020,00 €
KM2182-22 160 HP-Engine Fiat (Surcharge to 120 HP)	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	-	-	20	3.480,00 €
KM2183-22 160 HP-Engine Fiat (Surcharge to 140 HP)	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	20	2.460,00 €
KM2184-22 180 HP-Engine Fiat (Surcharge to 120 HP)	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	-	-	20	4.210,00 €
KM2185-22 180 HP-Engine Fiat (Surcharge to 140 HP)	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	-	-	20	3.190,00 €
KM2173-22 130 HP-Engine Ford	P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	0	0,00 €
KM2190-22 170 HP-Engine Ford (Surcharge to 130 HP)	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	2.570,00 €
➡ CHASSIS / CHASSIS																						
KM2100-22 Chassis 3.2 to	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	820,00 €
KM2316-22 Chassis - 35 H	-	-	-	-	-	-	-	0	0	0	0	0	0	-	0	0	0	0	-	-	40	1.120,00 €
KM2221-22 16" aluminium rims black	-	-	S	S	S	S	0	0	0	0	0	0	0	-	-	-	-	-	-	-	10	690,00 €
KM2224-22 16" aluminium rims	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	690,00 €
KM2371-22 90 Liter Fuel tank	-	-	S	S	S	S	0	0	0	0	0	0	0	0	0	0	0	0	-	-	26	250,00 €
KM2714-22 Automatic air conditioning for Fiat	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0			18	560,00 €
KM5122-22 Coupling device Fiat	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	-	-	35	1.050,00 €
KM5127-22 Coupling device Ford Custom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	35	1.150,00 €
KM2553-22 All-season tyres	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	770,00 €

SPECIAL EQUIPMENT

S = Standard equipment | O = Standard equipment available at extra cost
 -- = Not included in the scope of series production or not possible | P = optionale Packageausstattung

	DUNCAN 495	DUNCAN 535	DAVIS 540 TRENDSTYLE	DAVIS 590 TRENDSTYLE	DAVIS 591 TRENDSTYLE	DAVIS 620 TRENDSTYLE	DAVIS 540 LIFESTYLE	DAVIS 590 LIFESTYLE	DAVIS 591 LIFESTYLE	DAVIS 592 LIFESTYLE	DAVIS 630 LIFESTYLE	DAVIS 600 LIFESTYLE	DAVIS 620 LIFESTYLE	DE 540	DE 580	DE 600	DE 625	DE 550	560 4 x 4	570 4 x 4	Weight in kg	Price in €
⇒ CHASSIS / TRANSMISSION																						
KM2130-22 9-speed automatic transmission	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	18	3.890,00 €
KM2138-22 Automatic transmission Ford Custom	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	1.640,00 €
⇒ CHASSIS / VARNISH PAINT																						
KM2410-22 Varnish paint "Weiß"	S	S	-	-	-	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0	0,00 €
KM2421-22 Varnish paint "Black"	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0	920,00 €
KM2407-22 Varnish paint "Silver"	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0	920,00 €
KM2426-22 Varnish paint "Expedition Grey"	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	0	920,00 €
KM2409-22 Varnish paint "Iron Grey"	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	0	920,00 €
KM2423-22 Varnish paint "Diffused Silver"	-	-	-	-	-	-	O	O	O	O	O	O	O	-	-	-	-	-	O	O	0	920,00 €
KM2422-22 Varnish paint "Chrome Blue"	-	-	-	-	-	-	O	O	O	O	O	O	O	-	-	-	-	-	O	O	0	920,00 €
KM2414-22 Varnish paint "Lanzarote Grey"	-	-	S	S	S	S	O	O	O	O	O	O	O	O	O	O	O	O	-	-	0	920,00 €
KM2431-22 Varnish paint "Black" Ford Custom	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.230,00 €
KM2432-22 Varnish paint "Silver" Ford Custom	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.230,00 €
KM2433-22 Varnish paint "Iron Grey" Ford Custom	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.230,00 €
KM2434-22 Varnish paint "Diffused Silver" Ford Custom	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.230,00 €
KM2427-22 Varnish paint „Race Red“ Ford Custom	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.230,00 €
KM2428-22 Varnish paint „Abyss Blue“ Ford Custom	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.230,00 €
KM2429-22 Varnish paint „Azure Blue“ Ford Custom	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.230,00 €
KM2430-22 Varnish paint „Orange Glow“ Ford Custom	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.230,00 €
⇒ CHASSIS / ASSISTANCE SYSTEMS																						
KM2592-22 Rear drive parking sensor	P	P	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	1	460,00 €
⇒ CHASSIS / CHASSIS																						
KM2551-22 Fog lights	P	P	-	-	-	-	P	P	P	P	P	P	P	P	P	P	P	P	S	S	10	240,00 €

		DUNCAN 495	DUNCAN 535	DAVIS 540 TRENDSTYLE	DAVIS 590 TRENDSTYLE	DAVIS 591 TRENDSTYLE	DAVIS 620 TRENDSTYLE	DAVIS 540 LIFESTYLE	DAVIS 590 LIFESTYLE	DAVIS 59 1LIFESTYLE	DAVIS 592 LIFESTYLE	DAVIS 630 LIFESTYLE	DAVIS 600 LIFESTYLE	DAVIS 620 LIFESTYLE	DE 540	DE 580	DE 600	DE 625	DE 550	560 4 x 4	570 4 x 4	Weight in kg	Price in €
➤ CHASSIS / VEHICLE FEATURES																							
KM2561-22	Electric exterior mirror	S	S	S	S	S	S	P	P	P	P	P	P	P	P	P	P	P	P	S	S	0	300,00 €
KM2560-22	Electric exterior mirror retraction	P	P	-	-	-	-	P	P	P	P	P	P	P	P	P	P	P	P	-	-	0	300,00 €
KM2597-22	Inductive charger	-	-	-	-	-	-	O	O	O	O	O	O	O	-	-	-	-	-	-	-	0,6	400,00 €
➤ ROOF & WINDOW																							
KM5520-22	Skyroof Dexter	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	-	-	-	20	1.490,00 €
KM5521-22	Skyroof Davis	-	-	-	-	-	-	O	O	O	O	O	O	O	-	-	-	-	-	-	-	20	1.490,00 €
KM5320-22	Pop-up roof with black frame	-	-	-	-	-	-	O	O	O	O	O	O	O	-	-	-	-	-	-	-	120	7.170,00 €
➤ INTERIOR GENERAL																							
	Upholstery „Triest“	S	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0,00 €
KM6003-22	Upholstery "Asti"	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	S	S	S	0	0,00 €
KM6004-22	Upholstery "Savona"	-	-	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-	-	-	0	0,00 €
KM6005-22	Upholstery "Noli"	-	-	-	-	-	-	O	O	O	O	O	O	O	-	-	-	-	-	-	-	0	0,00 €
KM6155-22	Upholstery "Palermo"	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	O	0	0,00 €
KM3680-22	Cabin blinds Fiat	-	-	S	S	S	S	O	O	O	O	O	O	O	O	O	O	O	O	-	-	7	690,00 €
KM3682-22	Cabin blinds Ford	S	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	7	650,00 €
KM5576-22	Fly screen for door	-	-	S	S	S	S	O	O	O	O	O	O	O	O	O	O	O	O	-	-	5	560,00 €
KM6220-22	Extra bed 1 person	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	O	-	15	480,00 €
KM2252-22	Spare Wheel	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O	O	O	O	45	790,00 €
➤ MULTIMEDIA																							
KM3212-22	Multimedia preparation (Steering wheel functions, rear view camera preparation)	-	-	S	S	S	S	P	P	P	P	P	P	P	P	P	P	P	P	-	-	5	520,00 €
KM3235-22	Caratec Media Package (Ordering and installation at authorized dealer)	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	n.n.	n.n.

SPECIAL EQUIPMENT

S = Standard equipment | O = Standard equipment available at extra cost
- = Not included in the scope of series production or not possible | P = optionale Packageausstattung

[illegible]



GENERAL INSTRUCTIONS CONCERNING THE WEIGHT SITUATION OF CAMPERS

- Special fittings (additional equipment) increases the mass in running order and reduces the payload. The weight of the additional equipment can be ascertained from the information in our prospectus or can be obtained by asking your dealer/seller.
- The maximum number of persons indicated in each case depends on the weight and the mass on the axles. This number may be less if special fittings (=optional equipment/additional equipment) and accessories are installed, and so individual seats cannot be used in order to make way for additional payload. If all seats are to be used it will be necessary to dispense with some payload. The technically permissible total mass and the mass on the axles may not be exceeded.
- The possible payload is reduced when special fittings (= optional equipment/additional equipment) and accessories are installed. Furthermore the possible payload not only depends on the mass in running order, the actual vehicle mass, the weight of the accessories and the technically permissible total mass, but also on the mass on the respective axles. In order to take full advantage of the possible payload for the vehicle there must be an appropriate mass distribution related to the mass on the axles.

Installation of extra components such as roof cases, enginebike carriers, air conditioning equipment, blinds or bicycle carriers into the vehicle supplied

with living space superstructure can change the dimensions and characteristics of the vehicle. In addition, the unladen weight changes if special equipment is installed. Please note the permissible axle load and load reserves. If several items of extra equipment are combined on the vehicle roof, the overall load capacity and the space available must be taken into consideration.

Eura Mobil GmbH does not accept responsibility for any negative effects to the vehicle caused by installation of additional equipment not consisting of ORIGINAL KARMANN-MOBIL PARTS and through installation of additional equipment in a manner which is not consistent with KARMANN-MOBIL GUIDELINES.

All information provided in this brochure refers to the products listed here and does not apply to other products provided by Eura Mobil GmbH. The models pictured in this brochure show the furnishings for the German market. In some cases, they also include special equipment and accessories not included in the standard scope of delivery. All weights are values with a variation of +/- 5 percent. Deviations from the model variants and equipment described here could be possible due to legal regulations in different countries. Please consult your Eura-Mobil dealer pertaining to the exact scope and the available program of model-specific as well as model-independent equipment. Subject to errors and changes of construction, equipment and special equipment. All previous catalogues lose their validity with publication of this brochure.

The mass in running order according to Article 2, item 4 a) of Commission Regulation (EU) No 1230/2012 is, unless otherwise regulated, defined as:

the mass of the vehicle fitted with the standard equipment in accordance with the manufacturer's specifications (incl. on-board tools)

- + fuel tank(s) filled to at least 90 % of its or their capacity/ies
- + 75 kg (mass of the driver)
- + Aluminium liquefied gas bottle (5 kg capacity) filled to 100%
- + Freshwater tank filled to 100%

= mass in running order

The technically permissible maximum laden mass according to Article. 2, item 7 of Commission Regulation (EU) No 1230/2012 is defined as: The maximum mass of the vehicle when fully loaded according to the manufacturer.

The maximum permissible load as intended by the catalogue information is defined as: Technically permissible maximum laden mass – mass in running order = maximum permissible load

Issue: November 2021



Eura Mobil GmbH

Kreuznacher Str. 78
D-55576 Sprendlingen
Tel.: +49 (0) 6701-203 800
Fax: +49 (0) 6701-203 869
www.karmann-mobil.de