



# TECHNICAL DATA AND FEATURES

2022 | 2023 AUGUST 2022



# 2 | MODELS AND STYLE LINES

## DUNCAN

**COMPACT CAMPER** – PURE CAMPING FUN WITH ADJUSTABLE ROOF



495

545



## DAVIS

**CAMPERVANS** – ELEGANT, FROM COMFORTABLE TO LUXURIOUS WITH SINGLE OR DOUBLE BEDS



540

TRENDSTYLE LIFESTYLE



590

TRENDSTYLE LIFESTYLE



591

TRENDSTYLE LIFESTYLE



630

LIFESTYLE



620

TRENDSTYLE LIFESTYLE



All DAVIS LIFESTYLE also available with optional adjustable roof

## DEXTER

**COMFORT CAMPER** WITH LIFT-UP BED



550

Dexter 550 with upper roof and lift-up bed



## DEXTER 4x4

**ALL-ROUND CAMPER** – FOR GRIP ON ALL KINDS OF ROADS AND PATHS WITH SINGLE BEDS OR DOUBLE BED



560

4 x 4



570

4 x 4



## DEXTER

**CAMPERVANS** – CAMPERVANS FULL OF CHARM FOR SHORT TRIPS AND LONG TRAVELS WITH SINGLE OR DOUBLE BEDS



540



580



600



625



## DAVIS TRENDSTYLE SPECIAL EDITION

- » 140 HP FIAT motor
- » 35 L chassis
- » 16" aluminium rims
- » Isofix (excluding 540)
- » D4 heating
- » 90 litre fuel tank
- » Lanzarote Grey paintwork
- » Driver cab seats with armrests
- » Dimming system
- » Awning
- » Midi-Heki
- » Multimedia preparation incl. rear-view camera
- » DAB antenna
- » Table extension
- » Seat covers for DC seats
- » Mesh door screen
- » Electr. exterior mirrors
- » Electr. step
- » External lighting
- » Winter package (insulated + heated waste water tank, insulated water pipes in the exterior)
- » steering wheel and gearshift knob in leather finish

## DAVIS LIFESTYLE FEATURES

- INTERIOR LIFESTYLE WITH:**
- » 120 HP motor
  - » 35 L chassis
  - » Isofix (excluding 540)
  - » Combi D4 heating
  - » elegant, bright interior features with textile appliqué
  - » LED ambient lighting
  - » mineral kitchen worktop
  - » additional wall unit above the rear doors (for DA 590/620)
  - » folding table top
  - » metallic look logo trim in the kitchen unit
  - » side storage compartment in the kitchen unit (for DA 590/591/620/630)
  - » window on left side in the rear (for DA 590/620/630)
  - » body-flush frame windows

## ALL-INCLUSIVE "CONCEPT"\* FEATURES

### PACKAGE FEATURES:

- » 140 HP FIAT motor
- » Traction + hill descent control
- » Electric step
- » FIAT rear-view camera
- » Steering wheel controls
- » Connect Radio with 7" touchscreen
- » 90 litre fuel tank
- » Electric external mirrors
- » External lighting
- » Painted front bumper
- » Black radiator grille
- » Dimming system for the driver's cab
- » Awning
- » Mesh door screen
- » Leather steering wheel and gearshift knob
- » Winter package (insulated + heated waste water tank, insulated water pipes in the exterior)

## "NO LIMITS"\*\* ALL-ROUND PACKAGE

- » FORD VISION + package with:
  - Electrically adjustable folding external mirrors
  - Automatic dimming
  - Rain sensor in the front
  - Windscreen can be heated
  - Fill level display for the windscreen wiper system
- » 130 HP motor
- » 16" aluminium rims
- » Parking assistance/reversing sensor
- » Fog lights
- » Seat heating for driver and passenger seat
- » Sliding 3-seater rear bench, can be converted into a bed (DU 545: 2-Sitzer)
- » Painted front bumper
- » Ford Custom multimedia package Ford incl. DAB
- » External shower

## EASY ASSIST PACKAGE

### PACKAGE FEATURES:

- » Automatic air conditioning
- » Emergency braking assistant
- » Lane departure assistant
- » Rain and light sensor
- » High beam assistant (automatic beam dipping)
- » Traffic sign recognition
- » Electric parking brake
- » Keyless Entry & Go

## FORD MEDIA PACKAGE\*\*\*

### PACKAGE FEATURES:

- » Premium audio system
- » Touchscreen navigation
- » 4 loudspeakers
- » Navigation in Europe
- » 6" colour touchscreen
- » SYNC 3 voice-activated connection + call system
- » On-board computer
- » Front and rear parking assistant
- » Rear-view camera

\* Available for Davis Lifestyle and Dexter, not available for Davis Trendstyle and Dexter 4x4

\*\* Available for Duncan

\*\*\* Available for Dexter 560 4x4, 570 4x4

	DUNCAN	DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER	DEXTER 4 x 4
<b>➔ BASIC VEHICLE</b>					
Fiat Ducato	-	S	S	S	-
Ford Transit	-	-	-	-	S
Ford Transit Custom	S	-	-	-	-
EURO 6 D Final incl. soot particle filter	S	S	S	S	S
Driver airbag	S	S	S	S	S
Passenger airbag	S	S	S	S	S
ABS / ESP	S	-	-	-	S
ASB / ESP incl. traction +, hill descent	-	S	S	S	-
Manual air-conditioning system	S	S	S	S	S
Cruise control	S	S	S	S	S
Radio preparation + radio	-	-	-	-	S
Captain's chair seats with armrests	-	S	P	P	S
Isofix	P	S(- for DA 540)	S(- for DA 540)	-	-
Power steering	S	S	S	S	S
Adjustable headlights	S	S	S	S	S
Immobiliser	S	S	S	S	S
3-point seatbelt system	S	S	S	S	S
Electric window controls at the front	S	S	S	S	S
Electrically adjustable heated exterior mirrors	0	S	S	S	S
Remote control central locking system	S	S	S	S	S
Decorative wheel trims	S	-	0	0	S
Fix & Go breakdown kit	S	S	S	S	S
Driver's cab seat cover in living area upholstery fabric	S	S	S	S	S
Carpet in the driver's cab	-	-	-	S	S
Fog light	0	-	-	0	S
Front bumpers painted in the vehicle colour	0	-	0	0	S
Front bumpers black	S	S	S	S	-
Rear bumpers black	S	S	S	S	S
Leather steering wheel	S	S	0	0	S

	DUNCAN	DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER	DEXTER 4 x 4
<b>➔ SUPERSTRUCTURE EXTERIOR</b>					
Side wall and ceiling insulation	S	S	S	S	S
Sliding roof (not in conjunction with adjustable roof)	-	-	-	S (excluding DE 550, DE 600)	-
Insulated upper roof	-	-	-	only for DE 550	-
Adjustable roof	S	-	0	-	-
Body colour Trend white	S	-	S	S	S
Body colour Lanzarote Grey	-	S	0	0	-
Window in the superstructure, with quicklocking levers	-	S	S	-	-
Insulated framed windows	-	-	S	S	S
Sliding windows	S	-	-	-	-
External lighting	-	S	0	0	S
Electric step	S	S	S	S	S
400 x 400 mm roof hood, with dimming blinds and mosquito net (pc.) in the rear	-	1 (excluding DA 540)	1 (excluding DA 540)	1 (only for DE 550)	-
Midi Heki (pc.)	-	-	-	1 (excluding DE 550)	1
Mini Heki (pc.)	-	-	-	2 (DE 540: 1, excluding DE 550)	1
<b>➔ KITCHEN</b>					
42-litre refrigerator	S	-	-	-	-
70 - 80-litre refrigerator (floor plan dependent)	-	S	S	S	S
109-litre refrigerator	-	-	-	S (only for DE 550)	-
140-litre refrigerator	-	-	-	S (only for DE 580, DE 625)	-
2-ring hob with cover	S	S	S	S (DE 550: 3-ring)	S
Gas controls in the centre	S	S	S	S	S
Worktop with integrated sink	S	S	S	S	S

	DUNCAN	DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER	DEXTER 4 x 4
<b>↻ BATHROOM</b>					
Toilet room with integrated shower	- / S	S	S	S	S
Washroom window	-	S (excluding DA 540)	S (excluding DA 540)	S	-
Shower tray cover with mesh	-	-	S	S	-
Cassette toilet	-	S	S	S	S
<b>↻ LIVING AREA</b>					
Series upholstery Trient	S	-	-	-	-
Series upholstery Savona	-	S	S	-	-
Series upholstery Asti	-	-	-	S	S
Foam mattress on lift-up bed	-	-	-	S for DE 550	-
Lift-up bed	-	-	-	S for DE 550	-
Background lighting	S	-	S	S for DE 550	-
Table extension	-	S	S	S	S
Bunk beds	-	only for DA 591	only for DA 591	-	-
Height-adjustable rear bed with variable storage space	-	-	only for DA 630	-	-
Storage space floor with lashing eye-lets and access ramp for two bicycles	-	-	only for DA 630	-	-
Conversion of seating group to an additional bed for 1 person	-	-	O	O	O (not possible in 570 4x4)
Folding seat bench with additional bed for 2 people	O	-	-	- / S (for DE 550)	-
<b>↻ INSTALLATION</b>					
4 kW diesel heating	S (DU 545)	S	S	S	S
2 kW diesel heating	O (DU 495)	-	-	-	-
Hot water supply with single-lever mixer tap	- / S (DU 545)	S	S	S	S
Pressurised water pump	S	S	S	S	S
Heated and insulated waste water tank	-	S	O	-	-
Heated waste water tank	-	-	-	S	S

	DUNCAN	DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER	DEXTER 4 x 4
<b>↻ ELECTRICAL SUPPLY</b>					
Living area battery (for Dexter lithium-ion battery)	-	S	S	S	S
Automatic electr. charger for super-structure/vehicle battery	S	S	S	S	S
CEE external connection for 230 V with automatic circuit breaker	S	S	S	S	S
Ground fault circuit interrupter	S	S	S	S	S
On-board control panel indicating all important functions	S	S	S	S	S
230 V sockets (pc.)	3	3	3	3	3
12V sockets (pc.)	4	2	2	2	2
USB socket	3	3	3	3	3





# TECHNICAL SPECIFICATIONS

## COMPACT CAMPER WITH ADJUSTABLE ROOF

## CAMPER WITH LIFT-UP BED ALL-WHEEL CAMPER

## DAVIS WITH DOUBLE BED

### DUNCAN 495

### DUNCAN 545

### DEXTER 550

### DEXTER 560 4 x 4

### DEXTER 570 4 x 4

### DAVIS 540 TRENDSTYLE



➤ BASIC VEHICLE	DUNCAN 495	DUNCAN 545	DEXTER 550	DEXTER 560 4 x 4	DEXTER 570 4 x 4	DAVIS 540 TRENDSTYLE
Fuel tank	2.0 litre Ford Transit Custom 77 kW (105 HP) diesel	2.0 litre Ford Transit Custom 77 kW (105 HP) diesel	35 L Fiat Ducato, 89 kW (120 HP)	2.0 L Ford Transit 96 kW (130 HP) with sequential drive	2.0 L Ford Transit 96 kW (130 HP) with sequential drive	35 L Fiat Ducato 103 kW (140 HP)
Technically permissible overall weight*	70 L diesel + Ad Blue	70 L diesel + Ad Blue	75 L diesel + 19 L Ad Blue	75 L diesel + 24 L Ad Blue	75 L diesel + 24 L Ad Blue	90 L diesel + 19 L Ad Blue
Weight in ready-to-drive state**	3,000 kg / 3,200 kg (option)	3,200 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP*****	2,498 kg	2,589 kg	2,953 kg	3,162 kg	3,154 kg	2,845 kg
Permissible trailer load (braked)*** with 120 HP / 140, 160, 180 HP*****	5,240 kg (4,000 kg for automatic)	5,240 kg (4,200 kg for automatic)	5,500 / 5,800 kg	6,000 kg	6,000 kg	5,500 / 5,800 kg
Permissible trailer load (braked)*** with 120 HP / 140, 160, 180 HP*****	2,500 kg (1,400 kg for automatic)	2,600 kg (1,500 kg for automatic)	2,000 / 2,500 kg	2,800 kg	2,800 kg	2,000 / 2,500 kg
<b>➤ DIMENSIONS</b>						
Total length	4,973 mm	5,340 mm	5,480 mm	5,980 mm	5,980 mm	5,420 mm
Total width	2,080 mm	2,080 mm	2,059 mm	2,059 mm	2,059 mm	2,050 mm
Overall height	2,080 mm	2,080 mm	2,780 mm	2,780 mm	2,780 mm	2,650 mm
Interior width	1,775 mm	1,775 mm	1,940 mm	1,870 mm	1,870 mm	1,860 mm
Standing height	1,406 / 2,000- 2,030 mm	1,406 / 2,000- 2,030 mm	1,950 mm	1,970 mm	1,970 mm	1,890 mm
Wheelbase	2,933 mm	3,300 mm	3,450 mm	3,750 mm	3,750 mm	3,450 mm
Series tyres	6.5 x 16" 215/65R16	6.5 x 16" 215/65R16	215/70 R15	235/65 R16	235/65 R16	255/75 R16C
Bed conversion of the seating group	1,870 x 1,140 mm	1,870 x 1,140 mm	1,900 x 1,220 mm	1,723 x 1,077 mm	-	1,460 x 930 mm (500 mm)
Bed in adjustable roof	1,890 x 1,100 mm	1,780 x 1,160 mm with extension 190 x 1,020 mm	-	-	-	-
Rear bed	-	-	-	1,890 x 1,370 mm	1,970 x 930 / 1,850 x 930 mm	1,860 x 1,320 / 1,160 mm
Lift-up bed	-	-	1,920 x 1,550 mm	-	-	-
Number of sleeping berths	2 (4) optional	2 (4) optional	4	2 (3) optional	2	2 (3) optional
Permitted number of people with 3-point seatbelts	2 (5) optional	2 (4) optional	4	4	2	4
<b>➤ INSTALLATION</b>						
Fresh water capacity complete	50 L	40 L	100 L	80 L	80 L	85 L
Waste water capacity	30 L	30 L	90 L	60 L	60 L	75 L
Gas box / gas cartridge	1 x 2.75 kg	1 x 2.75 kg	1 x 11 kg	2 x 5 kg	2 x 5 kg	2 x 7 kg
Battery capacity	1 x 75 Ah	1 x 75 Ah	1 x 100 Ah (lithium)	1 x 100 Ah (lithium)	1 x 100 Ah (lithium)	1 x 95 Ah
Charger	17 A	17 A	17 A	17 A	17 A	15 A
Refrigerator	42 L (with freezer)	42 L (with freezer)	109 L	70 L	70 L	70 L



# TECHNICAL SPECIFICATIONS

Technical data and features 2022 / 2023

| 7

## DAVIS WITH DOUBLE BED

	DAVIS 540 LIFESTYLE	DAVIS 590 TRENDSTYLE	DAVIS 590 LIFESTYLE	DAVIS 591 TRENDSTYLE	DAVIS 591 LIFESTYLE	DAVIS 630 LIFESTYLE
<b>➤ BASIC VEHICLE</b>	35 L Fiat Ducato 89 kW (120 HP)	35 L Fiat Ducato 103 kW (140 HP)	35 L Fiat Ducato // 35H, 89 kW (120 HP)	35 L Fiat Ducato 103 kW (140 HP)	35 L Fiat Ducato // 35H, 103 kW (140 HP)	35 L Fiat Ducato // 35H, 103 kW (140 HP)
Fuel tank	75 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	75 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	75 L diesel + 19 L Ad Blue	75 L diesel + 19 L Ad Blue
Technically permissible overall weight*	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg
Weight in ready-to-drive state**	2,800 kg	2,925 kg	2,880 kg	2,945 kg	2,900 kg	3,030 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP*****	5,500 / 5,800 kg	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****	6,000 // 6,500 kg****
Permissible trailer load (braked)*** with 120 HP / 140, 160, 180 HP*****	2,000 / 2,500 kg	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****
<b>➤ DIMENSIONS</b>						
Total length	5,420 mm	5,995 mm	5,995 mm	5,995 mm	5,995 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm
Overall height	2,650 mm	2,650 mm	2,650 mm	2,650 mm	2,650 mm	2,650 mm
Interior width	1,860 mm	1,860 mm	1,860 mm	1,860 mm	1,860 mm	1,860 mm
Standing height	1,890 mm	1,890 mm	1,890 mm	1,890 mm	1,890 mm	1,890 mm
Wheelbase	3,450 mm	4,035 mm	4,035 mm	4,035 mm	4,035 mm	4,035 mm
Series tyres	215/70 R15C	225/75 R16C	225/75 R16C****	225/75 R16C	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****
Bed conversion of the seating group	1,860 x 1,320 / 1,160 mm	1,600 x 950 / 500 mm	1,600 x 950 / 500 mm	1,600 x 950 / 500 mm	1,600 x 950 / 500 mm	1,560 x 950 / 500 mm
Bed in adjustable roof	1,800 x 1,200 mm (option)	-	1,800 x 1,200 mm (option)	-	1,800 x 1,200 mm (option)	1,800 x 1,200 mm (option)
Bunk bed	-	-	-	1,860 x 1,330 mm	1,860 x 1,330 mm	-
Rear bed	1,860 x 1,320 / 1,160 mm	1,860 x 1,490 mm	1,860 x 1,490 mm	1,860 x 1,440 mm	1,860 x 1,440 mm	1,850/1,750 x 1,580 mm***** (adjustable)
Number of sleeping berths	2 (3) optional	2 (3)	2 (3)	4 / 5	4 / 5	2/3 (optional)
Permitted number of people with 3-point seatbelts	4	4	4	4	4	4
<b>➤ INSTALLATION</b>						
Fresh water capacity complete	85 L	85 L	85 L	85 L	85 L	85 L
Waste water capacity	75 L	75 L	75 L	75 L	75 L	75 L
Gas box / gas cartridge	2 x 7 kg	2 x 7 kg	2 x 7 kg	2 x 7 kg	2 x 7 kg	2 x 7 kg
Battery capacity	1 x 95 Ah	1 x 95 Ah	1 x 95 Ah	1 x 95 Ah	1 x 95 Ah	1 x 95 Ah
Charger	15 A	15 A	15 A	15 A	15 A	15 A
Refrigerator	70 L	80 L	80 L	80 L	80 L	85 L

\* For safety reasons, the "technically permissible maximum laden mass" stated in the vehicle registration document must not be exceeded under any circumstances. | \*\* Dimensions in ready-to-drive state as per EU Directive No. 1230/2012: Vehicle with standard equipment according to manufacturer's specifications including driver (75 kg), 90% of filling quantity for fuel, 100% for water as well as gas (aluminium gas bottle 5 kg), without special equipment. | \*\*\* the permissible gross train weight must be observed. | \*\*\*\* with 35 H chassis (option). | \*\*\*\*\* not in connection with 180 HP motor. | \*\*\*\*\* excluding DE 560, 570 and Duncan | \*\*\*\*\* reclining area can be extended to 1850/1750 x 1880 in lower position.


**DAVIS WITH SINGLE BEDS**
**DEXTER WITH DOUBLE BED**
**DEXTER WITH SINGLE BEDS**
**DAVIS 620 TRENDSTYLE**
**DAVIS 620 LIFESTYLE**
**DEXTER 540**
**DEXTER 580**
**DEXTER 600**
**DEXTER 625**


➤ BASIC VEHICLE	DAVIS 620 TRENDSTYLE	DAVIS 620 LIFESTYLE	DEXTER 540	DEXTER 580	DEXTER 600	DEXTER 625
Fuel tank	35 L Fiat Ducato 103 kW (140 HP)	35 L Fiat Ducato // 35H, 103 kW (140 HP)	35 L Fiat Ducato 89 kW (120 HP)	35 L Fiat Ducato// 35H, L 89 kW (120 HP)	35 L Fiat Ducato // 35H, 89 kW (120 HP)	35 L Fiat Ducato // 35H, 103 kW (140 HP)
Technically permissible overall weight*	90 L diesel + 19 L Ad Blue	75 L diesel + 19 L Ad Blue	75 L diesel + 19 L Ad Blue	75 L diesel + 19 L Ad Blue	75 L diesel + 19 L Ad Blue	75 L diesel + 19 L Ad Blue
Weight in ready-to-drive state**	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP*****	3,055 kg	3,010 kg	2,716 kg	2,887 kg	2,828 kg	3,103 kg
Permissible trailer load (braked)*** with 120 HP / 140, 160, 180 HP*****	6,000 // 6,500 kg****	6,000 // 6,500 kg****	5,500 / 5,800 kg	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****	6,000 // 6,500 kg****
Permissible trailer load (braked)*** with 120 HP / 140, 160, 180 HP*****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 kg	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****
<b>➤ DIMENSIONS</b>						
Total length	6,360 mm	6,360 mm	5,420 mm	5,990 mm	5,990 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm
Overall height	2,650 mm	2,650 mm	2,570 mm	2,570 mm	2,570 mm	2,570 mm
Interior width	1,860 mm	1,860 mm	1,860 mm	1,940 mm	1,940 mm	1,940 mm
Standing height	1,890 mm	1,890 mm	1,890 mm	1,890 mm	1,890 mm	1,890 mm
Wheelbase	4,035 mm	4,035 mm	3,450 mm	4,035 mm	4,035 mm	4,035 mm
Series tyres	225/75 R16C	215/70 R15 // 225/75 R16C****	215/70 R15	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****
Bed conversion of the seating group	1,560 x 950 / 500 mm	1,560 x 950 / 500 mm	1,835 x 1,070 mm	1,800 x 1,020 mm	-	1,875 x 1,150 mm
Bed in adjustable roof	1,880 x 750 mm	1,800 x 1,200 mm (option)	-	-	-	-
Rear bed	1,950 x 800 mm / 1,860 x 800 mm	1,950 x 800 mm / 1,860 x 800 mm	1,900 x 1,330 mm	1,900 x 1,320 mm	1,960 x 1,030 mm / 1,900 x 930 mm	1,925 x 800 mm / 1,870 x 800 mm
Number of sleeping berths	2/3 (optional)	2/3 (optional)	2 (3) optional	2 (3) optional	2	2 (3) optional
Permitted number of people with 3-point seatbelts	4	4	4	4	2	4
<b>➤ INSTALLATION</b>						
Fresh water capacity complete	85 L	85 L	85 L	85 L	85 L	85 L
Waste water capacity	75 L	75 L	75 L	75 L	75 L	75 L
Gas box / gas cartridge	2 x 7 kg	2 x 7 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	1 x 95 Ah	1 x 95 Ah	1 x 100 Ah (lithium)	1 x 100 Ah (lithium)	1 x 100 Ah (lithium)	1 x 100 Ah (lithium)
Charger	15 A	15 A	17 A	17 A	17 A	17 A
Refrigerator	75 L	75 L	70 L	140 L	70 L	140 L

\* For safety reasons, the "technically permissible maximum laden mass" stated in the vehicle registration document must not be exceeded under any circumstances. | \*\* Dimensions in ready-to-drive state as per EU Directive No. 1230/2012: Vehicle with standard equipment according to manufacturer's specifications including driver (75 kg), 90% of filling quantity for fuel, 100% for water as well as gas (aluminium gas bottle 5 kg), without special equipment. | \*\*\* the permissible gross train weight must be observed. | \*\*\*\* with 35 H chassis (option). | \*\*\*\*\* not in connection with 180 HP motor. | \*\*\*\*\* excluding DE 560, 570 and Duncan | \*\*\*\*\* reclining area can be extended to 1850/1750 x 1880 in lower position.



# SPECIAL FEATURES

		DUNCAN 495	DUNCAN 545	DEXTER 550	DEXTER 560 4 x 4	DEXTER 570 4 x 4	DAVIS 540 TRENDSTYLE	DAVIS 590 TRENDSTYLE	DAVIS 591 TRENDSTYLE	DAVIS 620 TRENDSTYLE	DAVIS 540 LIFESTYLE	DAVIS 590 LIFESTYLE	DAVIS 591 LIFESTYLE	DAVIS 630 LIFESTYLE	DAVIS 620 LIFESTYLE	DEXTER 540	DEXTER 580	DEXTER 600	DEXTER 625	Weight in kg
<b>⇒ PACKAGES</b>																				
KM4540-23	DA540 concept package	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	80
KM4541-23	DA590 - DA591 concept package	-	-	-	-	-	-	-	-	-	-	0	0	-	-	-	-	-	-	80
KM4542-23	DA620 - DA630 concept package	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	-	-	-	80
KM4543-23	DE540 concept package	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	80
KM4544-23	DE550 concept package	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
KM4546-23	DE580 - DE600 concept package	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	80
KMXXX-23	DE625 concept package	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	80
KM4505-23	Easy assist package	-	-	0	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	1
KM3232-23	Ford media package	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	3
KM4501-23	No limits package	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
<b>⇒ CHASSIS / ENGINE</b>																				
KM2186-23	Fiat 120 HP motor	-	-	S	-	-	-	-	-	-	S	S	S	-	-	S	S	S	-	0
KM2181-23	Fiat 140 HP motor (surcharge compared to 120 HP)	-	-	0	-	-	S	S	S	S	0	0	0	S	S	0	0	0	S	0
KM2184-23	180 HP Fiat motor (surcharge compared to 120 HP)	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	20
KM2185-23	Fiat 180 HP motor (surcharge compared to 140 HP)	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0	20
KM2173-23	Ford 130 HP motor	P	P	-	S	S	-	-	-	-	-	-	-	-	-	-	-	-	-	0
KM2190-23	Ford 170 HP motor (surcharge compared to 130 HP)	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
KM2180-23	Ford 170 HP motor (surcharge compared to 130 HP)	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	0
<b>⇒ CHASSIS / BODY</b>																				
KM2100-23	Body 3.2 to	0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
KM2316-23	Chassis - 35 H	-	-	-	-	-	-	-	-	-	-	0	0	0	0	-	0	0	0	40
KM2221-23	16" aluminium rims black (not in connection with automatic)	-	-	-	-	-	S	S	S	S	-	-	-	-	-	-	-	-	-	10
KM2224-23	16" aluminium rims	-	-	0	0	0	S*	S*	S*	S*	0	0	0	0	0	0	0	0	0	10
KM2371-23	Fuel tank, 90 litre	-	-	P	-	-	S	S	S	S	P	P	P	P	P	P	P	P	P	26
KM2714-23	Automatic air cond. for Fiat	-	-	P	-	-	-	-	-	-	P	P	P	P	P	P	P	P	P	18
KM5122-23	Fiat trailer tow hitch	-	-	0	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	35
KM5127-23	Ford trailer tow hitch	-	-	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	35
KM5128-23	Ford Custom trailer tow hitch	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
KM2553-23	All-season tyres	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0
KM2141-23	Tyre pressure sensor	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
<b>⇒ CHASSIS / GEARBOX</b>																				
KM2130-23	9-gear automatic gearbox	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	18
KM2137-23	Custom Ford automatic transmission	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
<b>⇒ CHASSIS / PAINTWORK</b>																				
KM2410-23	"White" paintwork	S	S	S	S	S	-	-	-	-	S	S	S	S	S	S	S	S	S	0
KM2421-23	"Black" paintwork	-	-	-	0	0	-	-	-	-	0	0	0	0	0	0	0	0	0	0

\* with automatic transmission



# SPECIAL FEATURES

		DUNCAN 495	DUNCAN 545	DEXTER 550	DEXTER 560 4 x 4	DEXTER 570 4 x 4	DAVIS 540 TRENDSTYLE	DAVIS 590 TRENDSTYLE	DAVIS 591 TRENDSTYLE	DAVIS 620 TRENDSTYLE	DAVIS 540 LIFESTYLE	DAVIS 590 LIFESTYLE	DAVIS 591 LIFESTYLE	DAVIS 630 LIFESTYLE	DAVIS 620 LIFESTYLE	DEXTER 540	DEXTER 580	DEXTER 600	DEXTER 625	Weight in kg
KM2252-23	Spare wheel	-	-	O	O	O	-	-	-	-	-	-	-	-	-	O	O	O	O	45
KMXXX-23	135 L refrigerator	-	-	-	-	-	-	-	-	-	-	O	-	-	-	-	-	-	-	
	<b>➔ MULTIMEDIA</b>																			
KM3212-23	Multimedia preparation (steering wheel controls, preparation for rear-view camera)	-	-	P	-	-	S	S	S	S	P	P	P	P	P	P	P	P	P	5
KM3214-23	7" V Connect radio	-	-	P	P	P	-	-	-	-	P	P	P	P	P	P	P	P	P	2
KM3315-23	Rear-view camera	-	-	P	P	P	S	S	S	S	P	P	P	P	P	P	P	P	P	2
	<b>➔ SUPPLY TECHNOLOGY</b>																			
KM7220-23	2 kW diesel heating	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
KM7225-23	4 kW diesel heating	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0
KM7226-23	Combi C 6 E heating (SC D 4)	-	-	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-	1
KM7227-23	Combi D 6 E heating (SC D 4)	-	-	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	1
KM2759-23	Seat heating for driver and passenger seat	P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	<b>➔ ACCESSORIES EXTERIOR</b>																			
KM5147-23	Bike carrier for 2 bikes	-	-	O	O	O	-	-	-	-	O	O	O	O	O	O	O	O	O	7
KM5148-23	Bike carrier for 2 bikes (Duncan)	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
KM5246-23	2.3 m awning	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
KM5241-23	3.1 m awning	-	-	O	-	-	S	-	-	-	O	-	-	-	-	-	-	-	-	27
KM5240-23	3.7 m awning	-	-	-	-	-	-	S	S	-	-	O	O	-	-	-	O	O	O	30
KM5243-23	4 m awning	-	-	-	-	-	-	-	-	S	-	-	-	O	O	-	-	-	-	36
KM5244-23	3.25 m awning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	O	-	-	-	28
KM5245-23	3 m awning	-	-	-	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	26
KM5230-23	Solar power system	-	-	O	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	11
KM7626-23	WC portaloo	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
KM2599-23	12 V/220 V transformer (600 W)	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5
KM2822-23	Bullbars	-	-	-	O	O	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5
KM5231-23	Solar panel	-	-	-	-	-	-	-	-	-	O	O	O	O	O	-	-	-	-	7
	<b>➔ MISCELLANEOUS</b>																			
9520	1 year new car extended warranty ("Car Garantie")**	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0
9522	2 year new car extended warranty ("Car Garantie")**	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0
9524	3 year new car extended warranty ("Car Garantie")**	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0
	<b>➔ DELIVERY (MANDATORY)</b>																			
9009	Gas safety certificate, COC documents or vehicle paperwork, TÜV approval and pre-carriage	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0
A801	Transfer costs	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	0

\*\*The terms and conditions of CG Car-Garantie Versicherungs-AG (CG Car-Garantie Versicherungs-Aktiengesellschaft, Gründlinger Strasse 12, 79111 Freiburg in Breisgau, Germany) apply to the conclusion of a 1, 2 or 3 year follow-on guarantee.



## GENERAL INFORMATION REGARDING THE WEIGHT SITUATION IN MOTOR HOMES

- Special features (additional features) increase the weight in the vehicle's ready-to-drive state and reduce the cargo capacity. The weight of the additional equipment is detailed in our brochure information or your dealer / seller can tell you.
- The maximum number of persons permitted depends on the weight and axle load. It can be reduced if special features (= special equipment / additional equipment) and accessories are installed, so in the interests of cargo loading capacity certain seats cannot be used. If all seats are to be used, some cargo capacity may need to be foregone. The technically permissible overall weight and axle loads must not be exceeded.
- The cargo loading capacity is reduced if special features (= special equipment / additional equipment) and accessories are installed. The cargo loading capacity is also not only dependent on the weight in the vehicle's ready-to-drive state, the actual vehicle weight, the weight of the accessories and the technical permissible overall weight, but also on the respective axle loads. In order to use the maximum possible cargo capacity based on the vehicle's technology, suitable, axle load-dependent weight distribution is required.

Installing additional parts, such as roof boxes, motorcycle racks, air conditioning equipment, awnings, bicycle racks, in the vehicle equipped with a living area may change the vehicle's dimensions and properties. The vehicle's unladen weight will

also increase after special features have been installed. Please also note the permitted axle loads and storage capacity for cargo. When combining several accessory components on the vehicle roof, the total load capacity and the available space must be taken into account.

Eura Mobil GmbH accepts no liability for any negative effects that may occur as a result of installing such additional equipment in the vehicle, unless they are ORIGINAL KARMANN-MOBIL PARTS and are installed or attached in accordance with the KARMANN-MOBIL GUIDELINES.

All of the information in this brochure relates to the products listed herein and does not apply to any other products of Eura Mobil GmbH. The models illustrated in this brochure show the features available in Germany. They may also contain special features and accessories that are not included with the standard scope of delivery. All weights quoted are values with a fluctuation limit of +/- 5 per cent. Due to legal regulations, differences from the model variations described here and equipment featured may be necessary in certain countries. Current note: Due to the current supply chain problems, some models from the 2022 season are also shown in the brochure, some of which may differ from the models from the 2023 season in terms of equipment details. Please ask your Karmann Mobil dealer about the exact scope and range available of model-specific and model-neutral features. Subject to errors and changes in design, equipment and special features. The publication of this brochure renders all previous catalogues invalid.

Unless otherwise regulated, weight in ready-to-drive state as per Article 2 (4a) Regulation (EU) 1230/2012 is defined as:

Vehicle's dimension with standard equipment according to manufacturer specifications (incl. vehicle tool kit)

- + fuel tank filled to 90%
- + 75 kg (weight of the driver)
- + fluid gas bottle (filling capacity of 5 kg) made of aluminium filled to 100%
- + fresh water tank filled to 100%
- + 230 V charging cable for superstructure battery

= weight in ready-to-drive state

The technically permissible overall weight according to Article 2 (7) Regulation (EU) 1230/2012 is defined as: The vehicle's maximum weight when loaded as provided by the manufacturer.

Pursuant to the information provided in the catalogue, the maximum cargo loading capacity is defined as: Technically permissible overall weight - weight in ready-to-drive state = maximum cargo loading capacity

**Last updated: August 2022**

**Technical data and features 2022 / 2023** - PKM-2023-008 int



**Eura Mobil GmbH**  
 Kreuznacher Str. 78  
 D-55576 Sprendlingen  
 Tel.: +49 (0) 6701-203 800  
 Fax: +49 (0) 6701-203 869  
 www.karmann-mobil.de